

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/803590	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:34
L2	2220	713/168.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:34
L5	4	OKUNSEINDE-FOLU.in. STADING-TYRON.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:36
L6	15	OKUNSEINDE-FOLU.in. "STADING-TYRON.in. "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:36
L7	71929	(INTERNATIONAL BUSINESS MACHINES CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/03/30 14:37
L8	53727	IBM.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:37
L9	125622	17 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:37
L10	2	"5602916".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:38

L11	4	"4104721".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:41
L12	2	"5898781".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:41
L13	4	"6405202".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:42
L20	12	I10 I11 I12 I13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 14:52
L21	11	I20 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 14:52
L22	2	(SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object with transaction) (remote \$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transcoiv\$4 or Bi?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:11

		direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) (class\$2 with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L23	1	l22 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:16
L24	13	(SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object) (remote\$4 with (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transcoev\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) (class\$2 with (\$trust\$4 or \$4domain\$4 or \$4realm\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:19

		or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L25	9	!24 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 16:26
L26	0	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4)).ab. (SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object) (class\$2 same log\$4) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:03

		or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L27	0	((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect \$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realms\$4 or \$4Zone\$4 or boundary \$4 or mutual\$4 or entiti\$4 or object\$4)).ab. (SOAP with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node \$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:10

		<p>or Request\$5 or submit\$4 or \$4Receive\$4 or \$4Transceive\$4 or Bi-direction\$4 or Two-way\$4 or \$4Couple\$4 or \$4Connect\$4 or \$4Interface\$4 or Route\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entity\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permit\$6 or \$4Verify\$8 or \$4Certify\$8 or \$4Validate\$6 or \$4Approve\$6 or \$4Confirm\$7 or \$4Credent\$6 or allow\$4))</p>				
L28	0	<p>((https or ssh or ssl or Secure\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entity\$4 or object\$4)).ti. ((https or ssh or ssl or Secure\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entity\$4 or object\$4)).ab. ((SOAP or corba) with header) ((https or ssh or ssl or Secure\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparatus\$4 or \$4Process\$4 or \$4machine\$4 or \$4computer\$4 or \$4hardware\$4 or phone\$3 or module\$4)) ((https or ssh or ssl or Secure\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scramble\$5)</p>	<p>US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB</p>	AND	ON	2008/03/30 17:48

		with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect\$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L29	0	(((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)).ti. ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote \$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 17:51

		Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L30	183	((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:25

		direction\$4 or Two?way or \$4Coup\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L31	59989	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 18:30
L32	18	I30 I31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:31
L33	8	I32 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:33
L34	5	("20030041178" "20040210766" "6694431" "6952768" "7096352").PN. OR ("7313687").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/30 18:58
L35	6	("5542046" "6850979" "6928545" "6954792" "7072984").PN. OR ("7249373").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/30 18:58
L36	0	I34 I35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:59

L37	11	34 135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 18:59
L38	11	37 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 18:59
L39	3	(US-20030120672-\$ or US-20040139352-\$ or US-20040139322-\$).did.	US-PGPUB	AND	ON	2008/03/30 19:03
L40	76	30 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:17
L42	1	L1 object\$4 storag\$4 media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:29
L43	20	9 140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:38
L44	18	43 @ad< "20030318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:39
L45	10	140 (SOAP same header) (https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with object) (class\$2 same log \$4) (remote\$4 with (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4device\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:50

		\$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4 or Reques\$5 or submit\$4 or \$4Receive\$4 or \$4Transceiv\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L46	3	i39 ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$trust \$4 or \$4domain\$4 or \$4realm\$4 or \$4Zone\$4 or boundary\$4 or mutual \$4 or entiti\$4 or object \$4)) ((SOAP or corba) with header) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) object) (class\$2 log\$4) (remote\$4 with (\$4Node \$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)) ((https or ssh or ssl or Secur\$5 or Protect\$6 or encrypt\$5 or encipher\$5 or scrambl\$5) with (\$4Communicat\$4 or \$4Transmi\$7 or \$4Send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/30 19:53

		or Request\$5 or submit\$4 or \$4Receive\$4 or Bi? direction\$4 or Two?way or \$4Coupl\$4 or \$4Connect \$4 or \$4Interface\$4 or Rout\$4 or Path\$4 or URL or link or XLink or (XML adj Linking))) ((\$trust\$4 or \$4domain\$4 or \$4realm \$4 or \$4Zone\$4 or boundary\$4 or mutual\$4 or entiti\$4 or object\$4) with (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 or \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6 or allow \$4))				
L47	4	(US-20030120672-\$ or US-20040139352-\$ or US-20040139322-\$ or US-20050044197-\$).did.	US-PGPUB	AND	ON	2008/03/30 20:02

3/30/2008 8:02:41 PM

 C:\Documents and Settings\tgeriso\My Documents\EAST\Workspaces\10803590\10803590.
 wsp